

## WASHER DECONTAMINATOR



**SW 3610**



**SW 4600**



## Scientek's Washer Decontaminators

have been designed to combine greater processing capacity with multi-cycle programming options. Processing of surgical instruments, cannulated instruments, anesthesia items, basins, pans and utensils can now be handled quickly and efficiently in this well designed washer. With a capacity to handle up to eight (8) instrument baskets per load at a variable cycle time of 12 -16 minutes, the washers from Scientek deliver excellent performance.



The Allen Bradley Micro-Processor control system allows maximum flexibility of cycle times and guaranteed 180° F rinse temperature.

Whether you are considering a single washer or a multi-automated washing system Scientek's **SW3610** and **SW4600** series will meet your washing needs.

The **SW-4600A** auto-washer decontaminator combines high capacity with quick processing time and multiple loads to meet the demands of today's healthcare facilities.



**SW 3610 & SW 4600 Series**

# Scientek's Exceptional Features Include

## SW 3610

- Stainless steel type 304 construction
- Drop door loading shelf. Complete with viewing window
- Three-level washing rack
- Micro-processor based controls
- Six pre-programmed cycle selection
- Digital temperature control and guarantee
- Extended wash timer
- Two chemical pumps (detergent and lube)
- Electric sump heater
- Electric drain valve operation (no air)
- 2 HP stainless steel pump
- Drying system



## SW 4600

- Stainless steel type 304 construction
- Automatic vertical lift door complete with viewing window
- Four-level washing rack
- Allen Bradley microprocessor based controls
- Pre-programmed 10 cycle selection - cycle parameters such as time, temperature, number of steps and dosing can be edited by user
- Cycle times as fast as 10 minutes
- User interface and adjustable controls c/w Internet
- Cycle status, time, event and diagnostics display
- Digital temperature control and guarantee
- Two chemical pumps (detergent and lube)
- Steam sump heater
- Electro-pneumatic valve operation
- 3 HP stainless steel pump
- Interior chamber illumination
- Drying system
- Devapourmatic package



## Typical Cycle for Washer Decontaminator

- Cold water pre-wash
- Hot water detergent wash
- Hot water first rinse
- Hot water second rinse at 180°F guarantee complete with lube injection
- Forced hot air convection drying

## SW3610 & SW4600 WASHER DECONTAMINATOR SERIES

Table of washer cabinet models to help you plan your facility.

MODEL #	INTERIOR CABINET SIZE	EXTERIOR CABINET SIZE	PUMP MOTOR
SW 3610	22"W x 23"H x 22"D (559mm x 584mm x 559mm)	36"W x 73"H x 29"D (914mm x 1854mm x 737mm)	2 HP
SW 4600	26"W x 27"H x 26"D (660mm x 686mm x 660mm)	42"W x 78"H x 32"D (1118mm x 1981mm x 813mm)	3 HP
SW 4600A (SLM & SUM)	26"W x 27"H x 26"D (660mm x 686mm x 660mm)	42"W x 78"H x 98"L (1118mm x 1981mm x 2489mm)	3 HP
SW 4600A (TLM & TUM)	26"W x 27"H x 26"D (660mm x 686mm x 660mm)	42"W x 78"H x 150"L (1118mm x 1981mm x 3810mm)	3 HP

- **SW 3610** Available in single drop down door or double door pass-thru option
- **SW 4600** Available in single vertical lift door or double door pass-thru option
- Sizes shown are for 2 door machines and include dryer option fitted.
- When vertical lift door is open height increases to 89" (2261mm) on SW 4600

### Optional Washer Features

- Electrical heating in place of steam (SW 4600)
- Steam heating in place of electric (SW 3610)
- D.I. or R.O. water final rinse
- Cycle data printer
- Stainless steel barrier wall
- Stainless steel condensate canopy hoods
- Devapourmatic system (SW 3610)
- Chemical level monitoring system
- Chemical enzyme injection
- Centralized data reporting system
- On-line modem connection with factory
- Automatic basket identification system
- Seismic anchoring
- Recoil hose wash down station

### Material Handling Accessories

- Washing Rack Transfer Table
- 4 Level Multi-Tier Washing Rack
- 3 Level Multi-Tier Washing Rack
- 2 Level Multi-Tier Washing Rack
- Single Multi-Purpose Basket Rack
- Cannulated Instrument Header
- Inhalation Tube Header
- 49 Spindle Glassware Header
- Single rack auto loading module
- Single rack auto unloading module
- Two rack auto loading module
- Two rack auto unloading module
- Basket return conveyor
- Pass-thru window enclosure
- Drop-down loading shelf (SW 4600)

Scientek does not recommend nor imply in any way that the Scientek washer decontaminator be used for the terminal decontamination of any regulated medical device. For processing of a specific material or products, follow the manufacturers recommended cleaning techniques and processes.